



## CROSS REFERENCE: GRIP CRIMP & GATES MEGA CRIMP COUPLINGS

10G-10FBSPORX	GC10-10X10*	12G-10FFORX	GC30-12X10	12G-12MBSPP	GC36-12X12
10G-10FBSPORX90	GC46-10X10*	12G-10FFORX45	GC31-12x10	12G-12MBSPT	GC35-12X12
10G-10FFORX	GC30-10X10	12G-10FFORX90S	GC32-12x10	12G-12MFA	GC28-12X12
10G-10FFORX45	GC31-10X10	12G-10FJX	GC09-12X10	12G-12MFFOR	GC29-12X12
10G-10FFORX90L	GC33-10X10	12G-10FJX90M	GC26-12x10	12G-12MJ	GC08-12X12
10G-10FFORX90S	GC32-10X10	12G-10MB	GC11-12X10	12G-12MP	GC01-12X12
10G-10FJX	GC09-10X10	12G-12FBSPORX	GC10-12X12*	12G-12MPX	GC04-12X12
10G-10FJX45	GC25-10X10	12G-12FBSPORX45	GC43-12X12*	12G-12MS	GC06-12x12
10G-10FJX90S	GC26-10X10	12G-12FBSPORX90	GC46-12X12*	12G-14FJX	GC09-12X14
10G-10FKX	GC39-10X24	12G-12FFORX	GC30-12X12	12G-14MJ	GC08-12X14
10G-10MB	GC11-10x10	12G-12FFORX45	GC31-12X12	12G-16FFORX	GC30-12x16
10G-10MFFOR	GC29-10X10	12G-12FFORX90L	GC33-12X12	12G-16FJX	GC09-12X16
10G-10MJ	GC08-10X10	12G-12FFORX90M	GC34-12x12	12G-16FL	GC47-12X16
10G-12FFORX	GC30-10X12	12G-12FFORX90S	GC32-12X12	12G-16FL45	GC50-12x16
10G-12FFORX45	GC31-10X12	12G-12FJISX	GC40-12X12	12G-16FL90	GC53-12X16
10G-12FFORX90S	GC32-10X12	12G-12FJX	GC09-12X12	12G-16MJ	GC08-12X16
10G-12FJX	GC09-10X12	12G-12FJX45	GC25-12X12	12G-16MP	GC01-12X16
10G-12FJX45	GC25-10X12	12G-12FJX90L	GC27-12X12	12G-22FDLORX	GC37-12X22*
10G-12FJX90S	GC26-10X12	12G-12FJX90M	GC26-12X12	12G-22MDL	GC66-12x22
10G-12MJ	GC08-10X12	12G-12FKX	GC39-12X30	12G-25FDHORX	GC38-12X25
10G-12MP	GC01-10X12	12G-12FL	GC47-12X12	12G-8MP	GC01-12X8
10G-18FDLORX	GC37-10X18	12G-12FL45	GC50-12X12	16G-12FJX	GC09-16X12
10G-20FDHORX	GC38-10X20	12G-12FL90	GC53-12X12	16G-12MP	GC01-16X12
10G-8FJX	GC09-10X8	12G-12FP	GC02-12X12	16G-14MJ	GC08-16X14
10G-8MB	GC11-10x8	12G-12FPX	GC05-12x12	16G-16FBSPORX	GC10-16X16*
10G-8MJ	GC08-10X8	12G-12FSX	GC07-12X12	16G-16FBSPORX90	GC46-16X16*
10G-8MP	GC01-10X8	12G-12MB	GC11-12X12	16G-16FFORX	GC30-16X16

**\*Does not have groove for optional O-ring**

This cross reference is for thread identification and hose inside diameter only. Exact dimensions of the couplings may vary from manufacturer to manufacturer. Please check hose cut off factor, tube length, and tube drop carefully. Revised 02/24/25



## CROSS REFERENCE: GRIP CRIMP & GATES MEGA CRIMP COUPLINGS

16G-16FFORX45	GC31-16X16	20G-20FBSPORX	GC10-20X20*	4G-4FJX90L	GC27-4X4
16G-16FFORX90L	GC33-16X16	20G-20FFORX	GC30-20x20	4G-4FJX90M	GC26-4X4
16G-16FFORX90M	GC34-16x16	20G-20FFORX45	GC31-20x20	4G-4FKX	GC39-4X14
16G-16FFORX90S	GC32-16X16	20G-20FFORX90S	GC32-20x20	4G-4FP	GC02-4X4
16G-16FJISX	GC40-16x16	20G-20FJX	GC09-20X20	4G-4FPX	GC05-4X4
16G-16FJX	GC09-16X16	20G-20FJX90M	GC26-20x20	4G-4MB	GC11-4X4
16G-16FJX45	GC25-16X16	20G-20FL45	GC50-20X20	4G-4MBSPP	GC36-4X4
16G-16FJX90L	GC27-16X16	20G-20FL90	GC53-20X20	4G-4MBSPT	GC35-4X4
16G-16FJX90M	GC26-16X16	20G-20MJ	GC08-20X20	4G-4MFA	GC28-4X4
16G-16FKX	GC39-16X33	20G-20MP	GC01-20X20	4G-4MFFOR	GC29-4X4
16G-16FL	GC47-16X16	4G-10FDHORX	GC38-4X10	4G-4MIX	GC18-4X4
16G-16FL45	GC50-16X16	4G-10FDLORX	GC37-4X10*	4G-4MIX90	GC20-4X4
16G-16FL90	GC53-16X16	4G-10FDLORX90	GC44-4X10*	4G-4MJ	GC08-4X4
16G-16FPX	GC05-16x16	4G-10MDH	GC67-4x10	4G-4MP	GC01-4X4
16G-16MB	GC11-16X16	4G-2FP	GC02-4X2	4G-4MPX	GC04-4X4
16G-16MBSPT	GC35-16X16	4G-2MP	GC01-4X2	4G-5FJX	GC09-4X5
16G-16MFA	GC28-16X16	4G-4FBSPORX	GC10-4X4*	4G-5FJX45	GC25-4X5
16G-16MFFOR	GC29-16x16	4G-4FBSPORX45	GC43-4X4*	4G-5FJX90M	GC26-4X5
16G-16MJ	GC08-16X16	4G-4FBSPORX90	GC46-4X4*	4G-5MB	GC11-4X5
16G-16MP	GC01-16X16	4G-4FFORX	GC30-4X4	4G-5MFA	GC28-4X5
16G-16MPX	GC04-16X16	4G-4FFORX45	GC31-4X4	4G-5MIX	GC18-4X5
16G-20FJX	GC09-16x20	4G-4FFORX90L	GC33-4X4	4G-5MIX90	GC20-4X5
16G-20FL	GC47-16X20	4G-4FFORX90M	GC34-4x4	4G-5MJ	GC08-4X5
16G-20FL45	GC50-16x20	4G-4FFORX90S	GC32-4X4	4G-6FBSPORX	GC10-4X6*
16G-20FL90	GC53-16x20	4G-4FJISX	GC40-4X4	4G-6FDLORX	GC37-4X6*
16G-28FDLORX	GC37-16X28	4G-4FJX	GC09-4X4	4G-6FFORX	GC30-4X6
16G-30FDHORX	GC38-16X30	4G-4FJX45	GC25-4X4	4G-6FFORX45	GC31-4X6

\*Does not have groove for optional O-ring

This cross reference is for thread identification and hose inside diameter only. Exact dimensions of the couplings may vary from manufacturer to manufacturer. Please check hose cut off factor, tube length, and tube drop carefully. Revised 02/24/25



## CROSS REFERENCE: GRIP CRIMP & GATES MEGA CRIMP COUPLINGS

4G-6FFORX90L	GC33-4X6	6G-12FJX	GC09-6X12	6G-6FJX90L	GC27-6X6
4G-6FFORX90S	GC32-4X6	6G-12MDH	GC67-6x12	6G-6FJX90M	GC26-6X6
4G-6FJX	GC09-4X6	6G-12MDL	GC66-6x12	6G-6FKX	GC39-6X18
4G-6FJX90M	GC26-4X6	6G-14FDHORX	GC38-6X14	6G-6FP	GC02-6X6
4G-6FPX	GC05-4X6	6G-14FDHORX90	GC45-6X14	6G-6FPX	GC05-6X6
4G-6FSX	GC07-4X6	6G-4FFORX90S	GC32-6x4	6G-6FSX	GC07-6X6
4G-6MB	GC11-4X6	6G-4FJX	GC09-6X4	6G-6FSX45	GC22-6X6
4G-6MJ	GC08-4X6	6G-4FP	GC02-6X4	6G-6FSX90	GC23-6X6
4G-6MP	GC01-4X6	6G-4MIX45	GC19-6x4	6G-6MB	GC11-6X6
4G-6MPX	GC04-4X6	6G-4MIX90	GC20-6x4	6G-6MBSPP	GC36-6X6
4G-8FDHORX	GC38-4X8	6G-4MP	GC01-6X4	6G-6MBSPT	GC35-6X6
4G-8FDLORX	GC37-4X8*	6G-4MPX	GC04-6X4	6G-6MBX	GC12-6X6
4G-8FDLORX45	GC41-4X8*	6G-5MFA	GC28-6X5	6G-6MBX90	GC15-6X6
4G-8FDLORX90	GC44-4X8*	6G-5MIX	GC18-6X5	6G-6MFA	GC28-6X6
4G-8MDH	GC67-4x8	6G-5MIX45	GC19-6X5	6G-6MFFOR	GC29-6X6
4G-8MDL	GC66-4x8	6G-5MIX90	GC20-6X5	6G-6MIX	GC18-6X6
4G-8MP	GC01-4X8	6G-6FBSPORX	GC10-6X6*	6G-6MIX45	GC19-6X6
6G-10FDLORX	GC37-6X10*	6G-6FBSPORX45	GC43-6X6*	6G-6MIX90	GC20-6X6
6G-10FDLORX45	GC41-6X10*	6G-6FBSPORX90	GC46-6X6*	6G-6MJ	GC08-6X6
6G-10FDLORX90	GC44-6X10*	6G-6FFORX	GC30-6X6	6G-6MP	GC01-6X6
6G-10FJX	GC09-6X10	6G-6FFORX45	GC31-6X6	6G-6MPX	GC04-6X6
6G-10MB	GC11-6x10	6G-6FFORX90L	GC33-6X6	6G-6MPX90	GC14-6X6
6G-10MDL	GC66-6x10	6G-6FFORX90M	GC34-6x6	6G-6MS	GC06-6X6
6G-10MJ	GC08-6X10	6G-6FFORX90S	GC32-6X6	6G-7MIX	GC18-6x7
6G-12FDHORX	GC38-6X12	6G-6FJISX	GC40-6X6	6G-7MIX45	GC19-6x7
6G-12FDLORX	GC37-6X12*	6G-6FJX	GC09-6X6	6G-7MIX90	GC20-6x7
6G-12FDLORX90	GC44-6X12*	6G-6FJX45	GC25-6X6	6G-8FBSPORX	GC10-6X8*

**\*Does not have groove for optional O-ring**

This cross reference is for thread identification and hose inside diameter only. Exact dimensions of the couplings may vary from manufacturer to manufacturer. Please check hose cut off factor, tube length, and tube drop carefully. Revised 02/24/25



## CROSS REFERENCE: GRIP CRIMP & GATES MEGA CRIMP COUPLINGS

6G-8FFORX	GC30-6X8	8G-10MBX90	GC15-8X10	8G-8FBSPORX	GC10-8X8*
6G-8FFORX45	GC31-6X8	8G-10MFA	GC28-8X10	8G-8FBSPORX45	GC43-8X8*
6G-8FFORX90L	GC33-6X8	8G-10MFFOR	GC29-8X10	8G-8FBSPORX90	GC46-8X8*
6G-8FFORX90M	GC34-6x8	8G-10MJ	GC08-8X10	8G-8FFORX	GC30-8X8
6G-8FFORX90S	GC32-6X8	8G-12FFORX	GC30-8X12	8G-8FFORX45	GC31-8X8
6G-8FJX	GC09-6X8	8G-12FJX	GC09-8X12	8G-8FFORX90L	GC33-8X8
6G-8FJX45	GC25-6X8	8G-12FL	GC47-8x12	8G-8FFORX90M	GC34-8x8
6G-8FJX90M	GC26-6X8	8G-12FL45M	GC50-8x12	8G-8FFORX90S	GC32-8X8
6G-8FP	GC02-6X8	8G-12FL90M	GC53-8x12	8G-8FJISX	GC40-8X8
6G-8MB	GC11-6X8	8G-12MB	GC11-8x12	8G-8FJX	GC09-8X8
6G-8MBX	GC12-6X8	8G-12MFFOR	GC29-8X12	8G-8FJX45	GC25-8X8
6G-8MBX90	GC15-6X8	8G-12MJ	GC08-8X12	8G-8FJX90L	GC27-8X8
6G-8MFFOR	GC29-6X8	8G-12MP	GC01-8X12	8G-8FJX90M	GC26-8X8
6G-8MJ	GC08-6X8	8G-15FDLORX	GC37-8X15	8G-8FKX	GC39-8X22
6G-8MP	GC01-6X8	8G-15FDLORX45	GC41-8X15*	8G-8FL	GC47-8X8
6G-8MPX	GC04-6X8	8G-15FDLORX90	GC44-8X15*	8G-8FL90	GC53-8X8
6G-8MPX90	GC14-6X8	8G-15MDL	GC66-8x15	8G-8FP	GC02-8X8
8G-10FFORX	GC30-8X10	8G-16FDHORX	GC38-8X16	8G-8FPX	GC05-8X8
8G-10FFORX45	GC31-8X10	8G-16FDHORX90	GC45-8X16	8G-8MB	GC11-8X8
8G-10FFORX90L	GC33-8X10	8G-16FJX	GC09-8X16	8G-8MBSPP	GC36-8X8
8G-10FFORX90S	GC32-8X10	8G-16MDH	GC67-8x16	8G-8MBSPT	GC35-8X8
8G-10FJX	GC09-8X10	8G-4MP	GC01-8X4	8G-8MBX	GC12-8X8
8G-10FJX45	GC25-8X10	8G-6FFORX	GC30-8x6	8G-8MBX90	GC15-8X8
8G-10FJX90L	GC27-8X10	8G-6FFORX90S	GC32-8x6	8G-8MFA	GC28-8X8
8G-10FJX90M	GC26-8X10	8G-6FJX	GC09-8X6	8G-8MFFOR	GC29-8X8
8G-10MB	GC11-8X10	8G-6MP	GC01-8X6	8G-8MIX	GC18-8X8
8G-10MBX	GC12-8X10	8G-6MPX	GC04-8X6	8G-8MIX90	GC20-8X8

\*Does not have groove for optional O-ring

This cross reference is for thread identification and hose inside diameter only. Exact dimensions of the couplings may vary from manufacturer to manufacturer. Please check hose cut off factor, tube length, and tube drop carefully. Revised 02/24/25



## CROSS REFERENCE: GRIP CRIMP & GATES MEGA CRIMP COUPLINGS

8G-8MJ	GC08-8X8	G25240-1010	GC34-10X10
8G-8MP	GC01-8X8		
8G-8MPX	GC04-8X8		
8G-8MPX90	GC14-8X8		
G25100-1006	GC01-10X6		
G25105-1012	GC04-10X12		
G25120-0408	GC11-4X8		
G25121-0406	GC12-4X6		
G25123-0404	GC15-4X4		
G25123-0406	GC15-4X6		
G25165-0604	GC08-6X4		
G25165-0605	GC08-6X5		
G25170-1208	GC09-12X8		
G25171-0605	GC09-6X5		
G25175-0812	GC25-8X12		
G25179-0806	GC26-8X6		
G25179-0812	GC26-8X12		
G25180-0406	GC24-4X6		
G25180-0608	GC24-6X8		
G25180-0810	GC24-8X10		
G25181-0605	GC27-6X5		
G25225-0406	GC29-4X6		
G25230-0610	GC30-6X10		
G25230-1008	GC30-10X8		
G25235-0812	GC31-8X12		
G25239-0812	GC32-8X12		
G25239-1008	GC32-10X8		

**\*Does not have groove for optional O-ring**

This cross reference is for thread identification and hose inside diameter only. Exact dimensions of the couplings may vary from manufacturer to manufacturer. Please check hose cut off factor, tube length, and tube drop carefully. Revised 02/24/25